

Fortbildungsteil Implantologie **Implantate – Zahnersatz ohne Probleme**

Eberhard Frisch

Literatur

- Anner R, Grossmann Y, Anner Y, Levin L. (2010) Smoking, diabetes mellitus, periodontitis, and supportive periodontal treatment as factors associated with dental implant survival: a long-term retrospective evaluation of patients followed for up to 10 years. *Implant Dent*; 19: 57–64.
- Axelsson P, Lindhe J. The significance of maintenance care in the treatment of periodontal disease. *J Clin Periodontol*. 1981; 8: 281–294.
- Canullo L, Cocchetto R, Marinotti F, Oltra DP, Diago MP, Loi I. Clinical evaluation of an improved cementation technique for implant-supported restorations: a randomized controlled trial. *Clin Oral Implants Res*. 2015 Apr 6. doi: 10.1111/clr.12589. [Epub ahead of print].
- Graetz C, Dörfer CE, Kahl M, Kocher T, Fawzy El-Sayed K, Wiebe JF, Gomer K, Rühling A. Retention of questionable and hopeless teeth in compliant patients treated for aggressive periodontitis. *J Clin Periodontol*;38(8):707-714:
- Cardaropoli D, Gaveglione L. (2012) Supportive periodontal therapy and dental implants: an analysis of patients' compliance. *Clin Oral Implants Res*;23: 1385–1388.
- Chee WW, Duncan J, Afshar M, Moshaverinia A. Evaluation of the amount of excess cement around the margins of cement-retained dental implant restorations: the effect of the cement application method. *J Prosthet Dent*. 2013 Apr;109(4):216-21. doi: 10.1016/S0022-3913(13)60047-5.
- Costa FO, Takenaka-Martinez S, Cota LO, Ferreira SD, Silva GL, Costa JE. (2012) Peri-implant disease in subjects with and without preventive maintenance: a 5-year follow-up. *J Clin Periodontol*; 39: 173–181.

- Derks J, Tomasi C. (2015) Peri-implant health and disease. A systematic review of current epidemiology. *J Clin Periodontol.* Apr;42 Suppl 16:158-171.
- Dumbrigue HB, Abanomi AA, Cheng LL. Techniques to minimize excess luting agent in cement-retained implant restorations. *J Prosthet Dent* 2002;87:112-114.
- Frisch E, Ratka-Krüger P, Weigl P, Woelber J. Minimizing Excess Cement in Implant-Supported Fixed Restorations Using an Extraoral Replica Technique: A Prospective 1-Year Study *Int J Oral Maxillofac Implants* 2015;30:xxx-xxx. doi: 10.11607/jomi.3967 [in press].
- Frisch E, Ziebolz D, Vach K, Ratka-Krüger P. (2014) Supportive post-implant therapy: patient compliance rates and impacting factors: 3-year follow-up. *J Clin Periodontol.*; 41: 1007-1001.
- Kaldahl WB, Kalkwarf KL, Patil KD, Molvar MP, Dyer JK. Long-term evaluation of periodontal therapy: I: response to 4 therapeutic modalities. *J Periodontol.* 1996; 67: 93–102.
- König J, Plagmann HC, Rühling A, Kocher T. Tooth loss and pocket probing depths in compliant periodontally treated patients: A retrospective analysis. *J Clin Periodontol.* 2002; 29: 1092–1100.
- Knowles JW, Burgett FG, Nissle RR, Shick RA, Morrison EC, Ramfjord SP. Results of periodontal treatment related to pocket depth and attachment level. Eight years. *J Periodontol.* 1979; 50: 225–233.
- Korsch M, Robra BP, Walther W. (2011) Cement-associated signs of inflammation: retrospective analysis of the effect of excess cement on peri-implant tissue. *Int J Prosthodont.* 2015 Jan-Feb;28(1):11-8. doi: 10.11607/ijp.4043.
- Korsch M, Walther W. (2015) Peri-Implantitis Associated with Type of Cement: A Retrospective Analysis of Different Types of Cement and Their Clinical Correlation to the Peri-Implant Tissue. *Clin Implant Dent Relat Res*;17 Suppl 2:e434-443.
- Krennmair G, Sütö D, Seemann R, Piehslinger E. (2012) Removable four implant-supported mandibular overdentures rigidly retained with telescopic crowns or milled bars: a 3-year prospective study. *Clin Oral Implants Res*;23:481–488.
- Linkevicius T, Vindasiute E, Puisys A, Peciuliene V. (2011) The influence of margin location on the amount of undetected cement excess after delivery of cement-retained implant restorations. *Clin Oral Implants Res*;22(12):1379-1384

- Milin KN. Extraoral cementation of implant crowns. *Dentistry Today* 2010;29:130, 132-133.
- Moraschini V, Poubel LA, Ferreira V, Barboza Edos S. (2015) Evaluation of survival and success rates of dental implants reported in longitudinal studies with a follow-up period of at least 10 years: a systematic review. *Int J Oral Maxillofac Surg.* 44(3):377-388.
- Pihlström BL, McHugh RB, Oliphant TH, Ortiz-Campos C. Comparison of surgical and nonsurgical treatment of periodontal disease. A review of current studies and additional results after 61/2 years. *J Periodontol.* 1983; 5: 524–541.
- Renvert S, Quirynen M. (2015) Risk indicators for peri-implantitis. A narrative review. *Clin Oral Implants Res.*;26 Suppl 11:15-44.
- Rinke S, Ohl S, Ziebolz D, Lange K, Eickholz P. (2011) Prevalence of periimplant disease in partially edentulous patients: a practice-based cross-sectional study. *Clin Oral Implants Res.*; 22: 826–833.
- Rocuzzo M, Bonino L, Dalmaso P, Aglietta M. (2014) Long-term results of a three arms prospective cohort study on implants in periodontally compromised patients: 10-year data around sandblasted and acid-etched (SLA) surface. *Clin Oral Implants Res.*;25(10):1105-1112.
- Rosling B, Serino G, Hellström MK, Socransky SS, Lindhe J. Longitudinal periodontal tissue alterations during supportive therapy. Findings from subjects with normal and high susceptibility to periodontal disease. *J Clin Periodontol.* 2001; 28: 241–249.
- Shapoff CA, Lahey BJ. (2012) Crestal bone loss and the consequences of retained excess cement around dental implants. *Compend Contin Educ Dent.*;33(2):94-96, 98-101;
- Tonetti MS, Eickholz P, Loos BG, Papapanou P, van der Velden U, Armitage G, Bouchard P, Deinzer R, Dietrich T, Hughes F, Kocher T, Lang NP, Lopez R, Needleman I, Newton T, Nibali L, Pretzl B, Ramseier C, Sanz-Sanchez I, Schlagenhauf U, Suvan JE. (2015) Principles in prevention of periodontal diseases: Consensus report of group 1 of the 11th European Workshop on Periodontology on effective prevention of periodontal and peri-implant diseases. *J Clin Periodontol.* Apr;42 Suppl 16:5-11.
- Wadhvani C, Piñeyro A. Technique for controlling the cement for an implant crown. *J Prosthet Dent* 2009;102:57-58.

- Wennström JL, Ekestubbe A, Gröndahl K, Karlsson S, Lindhe J. (2004) Oral rehabilitation with implant-supported fixed partial dentures in periodontitis-susceptible subjects. A 5-year prospective study. *J Clin Periodontol*; 31: 713–724.
- Wilson Jr. TG. (2009) The positive relationship between excess cement and peri-implant disease: a prospective clinical endoscopic study. *J Periodontol*;80:1388-1392.
- Woelber JP, Ratka-Krueger P, Vach K, Frisch E. (2015) Decementation Rates and the Peri-Implant Tissue Status of Implant-Supported Fixed Restorations Retained via Zinc Oxide Cement: A Retrospective 10-23-Year Study. *Clin Implant Dent Relat Res*. Aug 12. doi: 10.1111/cid.12372. [Epub ahead of print]
- Wolfart M, Wolfart S, Kern M. (2006) Retention forces and seating discrepancies of implant-retained castings after cementation. *Int J Oral Max Impl*;21:519-525.
- Zou D, Wu Y, Huang W, Wang F, Wang S, Zhang Z, Zhang Z. (2013) A 3-year prospective clinical study of telescopic crown, bar, and locator attachments for removable four implant-supported maxillary overdentures. *Int J Prosthodont* ;26(6):566-573