

Fortbildung: Toxikologie und Allergologie
„Sind abrasiv-pulverhaltige Präparate schädlich?“

Anne Kruse, Gregor Petersilka, Stefanie Schienle, Petra Ratka-Krüger

- Agger, M.S., Hörsted-Bindslev, P., Hovgaard, O., 2001. Abrasiveness of an air-powder polishing system on root surfaces in vitro. *Quintessence Int. Berl. Ger.* 1985 32, 407–411.
- Barnes, C.M., Fleming, L.S., Mueninghoff, L.A., 1991. SEM evaluation of the in-vitro effects of an air-abrasive system on various implant surfaces. *Int. J. Oral Maxillofac. Implants* 6, 463–469.
- Bassetti, M., Bassetti, R., Sculean, A., Salvi, G.E., 2014. [Subcutaneous emphysema following non-surgical peri-implantitis therapy using an air abrasive device: a case report]. *Swiss Dent. J.* 124, 807–817.
- Bernt, W.O., Borzelleca, J.F., Flamm, G., Munro, I.C., 1996. Erythritol: a review of biological and toxicological studies. *Regul. Toxicol. Pharmacol.* RTP 24, S191–197. doi:10.1006/rtp.1996.0098
- Bühler, J., Amato, M., Weiger, R., Walter, C., 2016a. A systematic review on the patient perception of periodontal treatment using air polishing devices. *Int. J. Dent. Hyg.* 14, 4–14. doi:10.1111/idh.12119
- Bühler, J., Amato, M., Weiger, R., Walter, C., 2016b. A systematic review on the effects of air polishing devices on oral tissues. *Int. J. Dent. Hyg.* 14, 15–28. doi:10.1111/idh.12120
- Cochis, A., Fini, M., Carrassi, A., Migliario, M., Visai, L., Rimondini, L., 2013. Effect of air polishing with glycine powder on titanium abutment surfaces. *Clin. Oral Implants Res.* 24, 904–909. doi:10.1111/j.1600-0501.2012.02490.x
- Daly, C.G., Mitchell, D.H., Highfield, J.E., Grossberg, D.E., Stewart, D., 2001. Bacteremia due to periodontal probing: a clinical and microbiological investigation. *J. Periodontol.* 72, 210–214. doi:10.1902/jop.2001.72.2.210
- Drisko, C.L., Cochran, D.L., Blieden, T., Bouwsma, O.J., Cohen, R.E., Damoulis, P., Fine, J.B., Greenstein, G., Hinrichs, J., Somerman, M.J., Iacono, V., Genco, R.J., Research, Science and Therapy Committee of the American Academy of Periodontology, 2000. Position paper: sonic and ultrasonic scalers in periodontics. Research, Science and Therapy Committee of the American Academy of Periodontology. *J. Periodontol.* 71, 1792–1801. doi:10.1902/jop.2000.71.11.1792
- Engel, S., Jost-Brinkmann, P.-G., Spors, C.K., Mohammadian, S., Müller-Hartwich, R., 2009. Abrasive effect of air-powder polishing on smoothsurface sealants. *J. Orofac. Orthop. Fortschritte Kieferorthopädie OrganOfficial J. Dtsch. Ges. Für Kieferorthopädie* 70, 363–370. doi:10.1007/s00056-009-9917-y

- European Food Safety Authority, 2015. Scientific Opinion on the safety of the proposed extension of use of erythritol (E 968) as a food additive 1. EFSA J. 13, 4033.
- Flemmig, T.F., Hetzel, M., Topoll, H., Gerss, J., Haerberlein, I., Petersilka, G., 2007. Subgingival debridement efficacy of glycine powder air polishing. J. Periodontol. 78, 1002–1010. doi:10.1902/jop.2007.060420
- Gerbo, L.R., Lacefield, W.R., Barnes, C.M., Russell, C.M., 1993. Enamel roughness after air-powder polishing. Am. J. Dent. 6, 96–98.
- Giacomelli, L., Salerno, M., Derchi, G., Genovesi, A., Paganin, P.P., Covani, U., 2011. Effect of air polishing with glycine and bicarbonate powders on a nanocomposite used in dental restorations: an in vitro study. Int. J. Periodontics Restorative Dent. 31, e51–56.
- Graumann, S.J., Sensat, M.L., Stoltenberg, J.L., 2013. Air polishing: a review of current literature. J. Dent. Hyg. JDH Am. Dent. Hyg. Assoc. 87, 173–180.
- Gutmann, M.E., 1998. Air polishing: a comprehensive review of the literature. J. Dent. Hyg. JDH Am. Dent. Hyg. Assoc. 72, 47–56.
- Hino, H., Kasai, S., Hattori, N., Kenjo, K., 2000. A case of allergic urticaria caused by erythritol. J. Dermatol. 27, 163–165.
- Hunter, K.M., Holborow, D.W., Kardos, T.B., Lee-Knight, C.T., Ferguson, M.M., 1989. Bacteraemia and tissue damage resulting from air polishing. Br. Dent. J. 167, 275–278.
- Hürzeler, M.B., Kohal, R.J., Naghshbandi, J., Mota, L.F., Conradt, J., Hutmacher, D., Caffesse, R.G., 1998. Evaluation of a new bioresorbable barrier to facilitate guided bone regeneration around exposed implant threads. An experimental study in the monkey. Int. J. Oral Maxillofac. Surg. 27, 315–320.
- Infektionsprävention in der Zahnheilkunde - Anforderungen an die Hygiene - Mitteilung der Kommission für Krankenhaushygiene und Infektionsprävention beim Robert Koch-Institut, 2006. . Bundesgesundheitsbl - Gesundheitsforsch - Gesundheitsschutz 375–394.
- Kinane, D.F., Riggio, M.P., Walker, K.F., MacKenzie, D., Shearer, B., 2005. Bacteraemia following periodontal procedures. J. Clin. Periodontol. 32, 708–713. doi:10.1111/j.1600-051X.2005.00741.x
- Kontturi-Närhi, V., Markkanen, S., Markkanen, H., 1989. The gingival effects of dental airpolishing as evaluated by scanning electron microscopy. J. Periodontol. 60, 19–22. doi:10.1902/jop.1989.60.1.19
- Kozlovsky, A., Artzi, Z., Nemcovsky, C.E., Hirshberg, A., 2005. Effect of air-polishing devices on the gingiva: histologic study in the canine. J. Clin. Periodontol. 32, 329–334. doi:10.1111/j.1600-051X.2005.00678.x
- Kruse, A., Akakpo, D., Maamar, R., Al-Ahmad, A., Woelber, J., Vach, K., Ratka-Krueger, P., 2016. Trehalosepulver zur subgingivalen Instrumentierung in der Erhaltungstherapie – Poster 37. Parodontologie 27, 376–377.

- Lavigne, C.K., Nauman, R.K., Munley, M.M., Suzuki, J.B., 1988. In vitro evaluation of air-powder polishing as an adjunct to ultrasonic scaling on periodontally involved root surfaces. *J. Dent. Hyg. JDH Am. Dent. Hyg. Assoc.* 62, 504–509.
- Louropoulou, A., Slot, D.E., Van der Weijden, F., 2014. The effects of mechanical instruments on contaminated titanium dental implant surfaces: a systematic review. *Clin. Oral Implants Res.* 25, 1149–1160. doi:10.1111/clr.12224
- Masouleh, S.S.M., 2015. Auswirkungen von Air-Flow Prophylaxis Powder und Clinpro™ Prophy Powder als Strahlmittel appliziert mit einem Air-Flow® Handy 2+ auf Schmelz, Dentin und demineralisierten Schmelz (Initialkaries)- Dissertationsschrift.
- Mengel, R., Buns, C.E., Mengel, C., Flores-de-Jacoby, L., 1998. An in vitro study of the treatment of implant surfaces with different instruments. *Int. J. Oral Maxillofac. Implants* 13, 91–96.
- Moëne, R., Décaillet, F., Andersen, E., Mombelli, A., 2010. Subgingival plaque removal using a new air-polishing device. *J. Periodontol.* 81, 79–88. doi:10.1902/jop.2009.090394
- Müller, N., Moëne, R., Cancela, J.A., Mombelli, A., 2014a. Subgingival air-polishing with erythritol during periodontal maintenance: Randomized clinical trial of twelve months. *J. Clin. Periodontol.* 41, 883–889. doi:10.1111/jcpe.12289
- Müller, N., Moëne, R., Cancela, J.A., Mombelli, A., 2014b. Subgingival air-polishing with erythritol during periodontal maintenance: randomized clinical trial of twelve months. *J. Clin. Periodontol.* 41, 883–889. doi:10.1111/jcpe.12289
- Neta, T., Takada, K., Hirasawa, M., 2000. Low-cariogenicity of trehalose as a substrate. *J. Dent.* 28, 571–576.
- Pelka, M., Trautmann, S., Petschelt, A., Lohbauer, U., 2010. Influence of air-polishing devices and abrasives on root dentin-an in vitro confocal laser scanning microscope study. *Quintessence Int. Berl. Ger.* 1985 41, e141–148.
- Pelka, M.A., Altmaier, K., Petschelt, A., Lohbauer, U., 2010. The effect of air-polishing abrasives on wear of direct restoration materials and sealants. *J. Am. Dent. Assoc.* 141, 63–70.
- Petersilka, G.J., 2011. Subgingival air-polishing in the treatment of periodontal biofilm infections. *Periodontol.* 2000 55, 124–142. doi:10.1111/j.1600-0757.2010.00342.x
- Petersilka, G.J., Bell, M., Häberlein, I., Mehl, A., Hickel, R., Flemmig, T.F., 2003a. In vitro evaluation of novel low abrasive air polishing powders. *J. Clin. Periodontol.* 30, 9–13.
- Petersilka, G.J., Bell, M., Mehl, A., Hickel, R., Flemmig, T.F., 2003b. Root defects following air polishing. *J. Clin. Periodontol.* 30, 165–170.
- Petersilka, G.J., Faggion, C.M., Stratmann, U., Gerss, J., Ehmke, B., Häberlein, I., Flemmig, T.F., 2008. Effect of glycine powder air-polishing on the gingiva. *J. Clin. Periodontol.* 35, 324–332. doi:10.1111/j.1600-051X.2007.01195.x

- Petersilka, G.J., Faggion CMJ, 2008. Unterstützende Parodontitistherapie mit niedrigabrasiver Pulverstrahltechnik. *Parodontologie* 19, 125–133.
- Petersilka, G.J., Panitz, W., Weresch, R., Eichinger, M., Kern, U., 2010. Luftemphyseme im Rahmen der Parodontitistherapie - Eine Fallserie mit kritischer Literaturübersicht. *Parodontol.* 21, 165–175.
- Petersilka, G.J., Steinmann, D., Häberlein, I., Heinecke, A., Flemmig, T.F., 2003c. Subgingival plaque removal in buccal and lingual sites using a novel low abrasive air-polishing powder. *J. Clin. Periodontol.* 30, 328–333.
- Petersilka, G.J., Tunkel, J., Barakos, K., Heinecke, A., Häberlein, I., Flemmig, T.F., 2003d. Subgingival plaque removal at interdental sites using a low-abrasive air polishing powder. *J. Periodontol.* 74, 307–311. doi:10.1902/jop.2003.74.3.307
- Robert-Koch-Institut, 2006. Infektionsprävention in der Zahnheilkunde - Anforderungen an die Hygiene - Mitteilung der Kommission für Krankenhaushygiene und Infektionsprävention beim Robert Koch-Institut. *Bundesgesundheitsbl - Gesundheitsforsch - Gesundheitsschutz* 375–394.
- Schiffner, U., 1992. Die Einwirkung eines abrasiven Pulverstrahles auf artifiziell demineralisierten Schmelz. *Dtsch Zahnärztl Z* 47, 778–781.
- Schmidlin, P.R., Beuchat, M., Busslinger, A., Lehmann, B., Lutz, F., 2001. Tooth substance loss resulting from mechanical, sonic and ultrasonic root instrumentation assessed by liquid scintillation. *J. Clin. Periodontol.* 28, 1058–1066.
- Schwarz, F., Becker, K., Renvert, S., 2015. Efficacy of air polishing for the non-surgical treatment of peri-implant diseases: a systematic review. *J. Clin. Periodontol.* 42, 951–959. doi:10.1111/jcpe.12454
- Schwarz, F., Ferrari, D., Popovski, K., Hartig, B., Becker, J., 2009. Influence of different air-abrasive powders on cell viability at biologically contaminated titanium dental implants surfaces. *J. Biomed. Mater. Res. B Appl. Biomater.* 88, 83–91. doi:10.1002/jbm.b.31154
- Sculean, A., Bastendorf, K.-D., Becker, C., Bush, B., Einwag, J., Lanoway, C., Platzer, U., Schmage, P., Schoeneich, B., Walter, C., Wennström, J.L., Flemmig, T.F., 2013. A paradigm shift in mechanical biofilm management? Subgingival air polishing: a new way to improve mechanical biofilm management in the dental practice. *Quintessence Int. Berl. Ger.* 1985 44, 475–477. doi:10.3290/j.qi.a29615
- Van Can, J.G.P., van Loon, L.J.C., Brouns, F., Blaak, E.E., 2012. Reduced glycaemic and insulinaemic responses following trehalose and isomaltulose ingestion: implications for postprandial substrate use in impaired glucose-tolerant subjects. *Br. J. Nutr.* 108, 1210–1217. doi:10.1017/S0007114511006714
- Wennström, J.L., Dahlén, G., Ramberg, P., 2011. Subgingival debridement of periodontal pockets by air polishing in comparison with ultrasonic instrumentation during maintenance therapy. *J. Clin. Periodontol.* 38, 820–827. doi:10.1111/j.1600-051X.2011.01751.x

- Wilson, W., Taubert, K.A., Gewitz, M., Lockhart, P.B., Baddour, L.M., Levison, M., Bolger, A., Cabell, C.H., Takahashi, M., Baltimore, R.S., Newburger, J.W., Strom, B.L., Tani, L.Y., Gerber, M., Bonow, R.O., Pallasch, T., Shulman, S.T., Rowley, A.H., Burns, J.C., Ferrieri, P., Gardner, T., Goff, D., Durack, D.T., American Heart Association Rheumatic Fever, Endocarditis and Kawasaki Disease Committee, Council on Cardiovascular Disease in the Young, Council on Clinical Cardiology, Council on Cardiovascular Surgery and Anesthesia, Quality of Care and Outcomes Research Interdisciplinary Working Group, American Dental Association, 2007. Prevention of infective endocarditis: guidelines from the American Heart Association: a guideline from the American Heart Association Rheumatic Fever, Endocarditis and Kawasaki Disease Committee, Council on Cardiovascular Disease in the Young, and the Council on Clinical Cardiology, Council on Cardiovascular Surgery and Anesthesia, and the Quality of Care and Outcomes Research Interdisciplinary Working Group. *J. Am. Dent. Assoc.* 138, 739–745, 747–760.
- Yunginger, J.W., Jones, R.T., Kita, H., Saito, K., Hefle, S.L., Taylor, S.L., 2001. Allergic reactions after ingestion of erythritol-containing foods and beverages. *J. Allergy Clin. Immunol.* 108, 650.