

Leserservice zm Nr. 6/2017, S. 66-83

Universaladhäsive

Teil 1: Genese und Performance mit lichthärtenden Kompositen

Teil 2: Der Einfluss der Komposithärtung und die Haftung an Werkstücken

Bernd Haller, Alexander Merz

Literatur

- Ajami, A.A., Kahnamoii, M.A., Kimyai, S., Oskooee, S.S., Pournaghi-Azar, F., Bahari, M., Firouzmandi, M., 2013. Effect of three different contamination removal methods on bond strength of a self-etching adhesive to dentin contaminated with an aluminum chloride hemostatic agent. *J. Contemp. Dent. Pract.* 14, 26–33.
- Alex, G., 2008. Preparing porcelain surfaces for optimal bonding. *Compend. Contin. Educ. Dent.* 29, 324–335; quiz 336.
- Alex, G., 2015. Universal adhesives: the next evolution in adhesive dentistry? *Compend. Contin. Educ. Dent.* 36, 15–26; quiz 28, 40.
- Amaral, M., Belli, R., Cesar, P.F., Valandro, L.F., Petschelt, A., Lohbauer, U., 2014. The potential of novel primers and universal adhesives to bond to zirconia. *J. Dent.* 42, 90–8.
- Appelt A, Roggendorf, M., Vosen, V., Frankenberger, R., 2013. Beinflussen Hemostatika die Dentinhaftung? *Dtch Zahnärzt Z* 68, D27.
- Azimian, F., Klosa, K., Kern, M., 2012. Evaluation of a new universal primer for ceramics and alloys. *J. Adhes. Dent.* 14, 275–82.
- Barragan, G., Chasqueira, F., Arantes-Oliveira, S., Portugal, J., 2014. Ceramic repair: influence of chemical and mechanical surface conditioning on adhesion to zirconia. *Oral Health Dent. Manag.* 13, 155–8.
- Blunck, U., Preissner, S., 2015. Effectiveness of adhesives at Class V cavities after four-year water-storage. *IADR Bost. Abstract #*, (<https://15iags.abstractcentral.com/>).
- Cardenas, A.M., Siqueira, F., Rocha, J., Szesz, A.L., Anwar, M., El-Askary, F., Reis, A., Loguerio, A., 2016. Influence of Conditioning Time of Universal Adhesives on Adhesive Properties and Enamel-Etching Pattern. *Oper. Dent.*
- Chaiyabutr, Y., Kois, J.C., 2011. The effect of tooth-preparation cleansing protocol on the bond strength of self-adhesive resin cement to dentin contaminated with a hemostatic agent. *Oper. Dent.* 36, 18–26.
- Chen, C., Niu, L.-N., Xie, H., Zhang, Z.-Y., Zhou, L.-Q., Jiao, K., Chen, J.-H., Pashley, D.H., Tay, F.R., 2015. Bonding of universal adhesives to dentine - Old wine in new bottles? *J. Dent.*
- Chen, L., Shen, H., Suh, B.I., 2013. Effect of incorporating BisGMA resin on the bonding properties of silane and zirconia primers. *J. Prosthet. Dent.* 110, 402–7.
- Chen, L., Suh, B.I., Brown, D., Chen, X., 2012. Bonding of primed zirconia ceramics: evidence of chemical bonding and improved bond strengths. *Am. J. Dent.* 25, 103–8.
- Cheong, C., King, N.M., Pashley, D.H., Ferrari, M., Toledano, M., Tay, F.R., 2003. Incompatibility of self-etch adhesives with chemical/dual-cured composites: two-step vs one-step systems. *Oper. Dent.* 28, 747–55.

- Chersoni, S., Suppa, P., Grandini, S., Goracci, C., Monticelli, F., Yiu, C., Huang, C., Prati, C., Breschi, L., Ferrari, M., Pashley, D.H., Tay, F.R., 2004. In vivo and in vitro permeability of one-step self-etch adhesives. *J. Dent. Res.* 83, 459–64.
- da Costa, T.R.F., Serrano, A.M., Atman, A.P.F., Loguercio, A.D., Reis, A., 2012. Durability of composite repair using different surface treatments. *J. Dent.* 40, 513–21.
- de Goes, M.F., Shinohara, M.S., Freitas, M.S., 2014. Performance of a new one-step multi-mode adhesive on etched vs non-etched enamel on bond strength and interfacial morphology. *J. Adhes. Dent.* 16, 243–50.
- De Munck, J., Shirai, K., Yoshida, Y., Inoue, S., Van Landuyt, K., Lambrechts, P., Suzuki, K., Shintani, H., Van Meerbeek, B., 2012. Effect of water storage on the bonding effectiveness of 6 adhesives to Class I cavity dentin. *Oper. Dent.* 31, 456–65.
- el-Mowafy, O.M., Rubo, M.H., El-Badrawy, W.A., 1999. Hardening of new resin cements cured through a ceramic inlay. *Oper. Dent.* 24, 38–44.
- Frankenberger, R., Lohbauer, U., Roggendorf, M.J., Naumann, M., Taschner, M., 2008. Selective enamel etching reconsidered: better than etch-and-rinse and self-etch? *J. Adhes. Dent.* 10, 339–44.
- Haller, B., 2013. Which self-etch bonding systems are suitable for which clinical indications? *Quintessence Int.* 44, 645–61.
- Harnirattisai, C., Kuphasuk, W., Senawongse, P., Tagami, J., 2009. Bond strengths of resin cements to astringent-contaminated dentin. *Oper. Dent.* 34, 415–22.
- Heintze, S.D., Rousson, V., 2012. Clinical effectiveness of direct class II restorations - a meta-analysis. *J. Adhes. Dent.* 14, 407–31.
- Hickel, R., Brüshaver, K., Ilie, N., 2013. Repair of restorations--criteria for decision making and clinical recommendations. *Dent. Mater.* 29, 28–50.
- Inokoshi, M., Kameyama, A., De Munck, J., Minakuchi, S., Van Meerbeek, B., 2013. Durable bonding to mechanically and/or chemically pre-treated dental zirconia. *J. Dent.* 41, 170–9.
- Kalavacharla, V.K., Lawson, N.C., Ramp, L.C., Burgess, J.O., 2015. Influence of Etching Protocol and Silane Treatment with a Universal Adhesive on Lithium Disilicate Bond Strength. *Oper. Dent.* 40, 372–8.
- Kim, J.-H., Chae, S.-Y., Lee, Y., Han, G.-J., Cho, B.-H., 2015. Effects of multipurpose, universal adhesives on resin bonding to zirconia ceramic. *Oper. Dent.* 40, 55–62.
- Kuphasuk, W., Harnirattisai, C., Senawongse, P., Tagami, J., 2007. Bond strengths of two adhesive systems to dentin contaminated with a hemostatic agent. *Oper. Dent.* 32, 399–405.
- Lawson, N.C., Robles, A., Fu, C.-C., Lin, C.P., Sawlani, K., Burgess, J.O., 2015. Two-year clinical trial of a universal adhesive in total-etch and self-etch mode in non-carious cervical lesions. *J. Dent.* 43, 1229–34.
- Loguercio, A.D., de Paula, E.A., Hass, V., Luque-Martinez, I., Reis, A., Perdigão, J., 2015. A new universal simplified adhesive: 36-Month randomized double-blind clinical trial. *J. Dent.* 43, 1083–92.
- Loomans, B.A.C., Cardoso, M.V., Roeters, F.J.M., Opdam, N.J.M., De Munck, J., Huysmans, M.C.D.N.J.M., Van Meerbeek, B., 2011. Is there one optimal repair technique for all composites? *Dent. Mater.* 27, 701–9.
- Lopes, G.C., Spohr, A.M., De Souza, G.M., 2016. Different Strategies to Bond Bis-GMA-based Resin Cement to Zirconia. *J. Adhes. Dent.*
- Lührs, A.-K., De Munck, J., Geurtsen, W., Van Meerbeek, B., 2014a. Composite cements benefit from light-curing. *Dent. Mater.* 30, 292–301.
- Lührs, A.-K., Pongprueksa, P., De Munck, J., Geurtsen, W., Van Meerbeek, B., 2014b. Curing mode affects bond strength of adhesively luted composite CAD/CAM restorations to dentin. *Dent. Mater.* 30, 281–91.

- Manfroi, F.B., Marcondes, M.L., Somacal, D.C., Borges, G.A., Júnior, L.H.B., Spohr, A.M., 2016. Bond Strength of a Novel One Bottle Multi-mode Adhesive to Human Dentin After Six Months of Storage. *Open Dent. J.* 10, 268–77.
- Marchesi, G., Frassetto, A., Mazzoni, A., Apolonio, F., Diolosà, M., Cadenaro, M., Di Lenarda, R., Pashley, D.H., Tay, F., Breschi, L., 2014. Adhesive performance of a multi-mode adhesive system: 1-year in vitro study. *J. Dent.* 42, 603–12.
- McLean, D., Meyers, E., Guillory, V., Vandewalle, K., 2015. Enamel Bond Strength of New Universal Adhesive Bonding Agents. *Oper. Dent.* 40, 410–417.
- Merz, A., Haller, B., 2014. Multifunktionelle Evaluation vereinfachter Bonding- und Füllungstechniken mit einem neuen In-vitro-Modell. Vor. bei der 28. Jahrestagung der Dtsch. Gesellschaft für Zahnerhaltung, Hambg.
- Miyazaki, M., Onose, H., Moore, B.K., 2000. Effect of operator variability on dentin bond strength of two-step bonding systems. *Am. J. Dent.* 13, 101–4.
- Mohammadi, N., Kimyai, S., Bahari, M., Pournaghi-Azar, F., Mozafari, A., 2012. Effect of aluminum chloride hemostatic agent on microleakage of class V composite resin restorations bonded with all-in-one adhesive. *Med. oral, Patol. oral y cirugía bucal* 17, e841–4.
- Muñoz, M.A., Sezinando, A., Luque-Martinez, I., Szesz, A.L., Reis, A., Loguercio, A.D., Bombarda, N.H., Perdigão, J., 2014. Influence of a hydrophobic resin coating on the bonding efficacy of three universal adhesives. *J. Dent.* 42, 595–602.
- Opdam, N.J.M., Bronkhorst, E.M., Loomans, B.A.C., Huysmans, M.-C.D.N.J.M., 2012. Longevity of repaired restorations: a practice based study. *J. Dent.* 40, 829–35.
- Passia, N., Lehmann, F., Freitag-Wolf, S., Kern, M., 2015. Tensile bond strength of different universal adhesive systems to lithium disilicate ceramic. *J. Am. Dent. Assoc.* 146, 729–34.
- Passia, N., Mitsias, M., Lehmann, F., Kern, M., 2016. Bond strength of a new generation of universal bonding systems to zirconia ceramic. *J. Mech. Behav. Biomed. Mater.* 62, 268–274.
- Perdigão, J., Loguercio, A.D., 2014. Universal or Multi-mode Adhesives: Why and How? *J. Adhes. Dent.* 16, 193–4.
- Peumans, M., De Munck, J., Mine, A., Van Meerbeek, B., 2014. Clinical effectiveness of contemporary adhesives for the restoration of non-carious cervical lesions. A systematic review. *Dent. Mater.* 30, 1089–1103.
- Peumans, M., De Munck, J., Van Landuyt, K., Peumans, M., Poitevin, A., Lambrechts, P., Braem, M., Van Meerbeek, B., 2005. A critical review of the durability of adhesion to tooth tissue: methods and results. *J. Dent. Res.* 84, 118–32.
- Peumans, M., De Munck, J., Van Landuyt, K., Van Meerbeek, B., 2015. Thirteen-year randomized controlled clinical trial of a two-step self-etch adhesive in non-carious cervical lesions. *Dent. Mater.* 31, 308–314.
- Peumans, M., De Munck, J., Van Landuyt, K.L., Poitevin, A., Lambrechts, P., Van Meerbeek, B., 2010. Eight-year clinical evaluation of a 2-step self-etch adhesive with and without selective enamel etching. *Dent. Mater.* 26, 1176–1184.
- Rathke, A., Balz, U., Muche, R., Haller, B., 2012a. Effects of self-curing activator and curing protocol on the bond strength of composite core buildups. *J. Adhes. Dent.* 14, 39–46.
- Rathke, A., Hokenmaier, G., Muche, R., Haller, B., 2012b. Effectiveness of the bond established between ceramic inlays and dentin using different luting protocols. *J. Adhes. Dent.* 14, 147–54.
- Rathke, A., Ostermeier, V., Muche, R., Haller, B., 2013. Reconsidering the double etching of enamel: do self-etching primers contaminate phosphoric acid-etched enamel? *J. Adhes. Dent.* 15, 107–14.
- Rodrigues, S.A., Ferracane, J.L., Della Bona, A., 2009. Influence of surface treatments on the bond strength of repaired resin composite restorative materials. *Dent. Mater.* 25, 442–51.
- Rosa, W.L. de O. da, Piva, E., Silva, A.F. da, 2015. Bond strength of universal adhesives: A systematic review and meta-analysis. *J. Dent.* 43, 765–76.

- Schittly, E., Bouter, D., Le Goff, S., Degrange, M., Attal, J.-P., 2010. Compatibility of five self-etching adhesive systems with two resin luting cements. *J. Adhes. Dent.* 12, 137–42.
- Seabra, B., Arantes-Oliveira, S., Portugal, J., 2014. Influence of multimode universal adhesives and zirconia primer application techniques on zirconia repair. *J. Prosthet. Dent.* 112, 182–7.
- Stawarczyk, B., Krawczuk, A., Ilie, N., 2015. Tensile bond strength of resin composite repair in vitro using different surface preparation conditionings to an aged CAD/CAM resin nanoceramic. *Clin. Oral Investig.* 19, 299–308.
- Suh, B.I., Feng, L., Pashley, D.H., Tay, F.R., 2003. Factors contributing to the incompatibility between simplified-step adhesives and chemically-cured or dual-cured composites. Part III. Effect of acidic resin monomers. *J. Adhes. Dent.* 5, 267–82.
- Tantbirojn, D., Fernando, C., Versluis, a, 2014. Failure Strengths of Composite Additions and Repairs. *Oper. Dent.* 40, 141223114750005.
- Tay, F.R., Pashley, D.H., Suh, B., Carvalho, R., Miller, M., 2004. Single-step, self-etch adhesives behave as permeable membranes after polymerization. Part I. Bond strength and morphologic evidence. *Am. J. Dent.* 17, 271–8.
- Tay, F.R., Pashley, D.H., Yiu, C.K.Y., Sanares, A.M.E., Wei, S.H.Y., 2003. Factors contributing to the incompatibility between simplified-step adhesives and chemically-cured or dual-cured composites. Part I. Single-step self-etching adhesive. *J. Adhes. Dent.* 5, 27–40.
- Thanatvarakorn, O., Prasansuttiporn, T., Takahashi, M., Thittaweerat, S., Foxton, R.M., Ichinose, S., Tagami, J., Nakajima, M., 2016. Effect of Scrubbing Technique with Mild Self-etching Adhesives on Dentin Bond Strengths and Nanoleakage Expression. *J. Adhes. Dent.*
- Torii, Y., Itou, K., Nishitani, Y., Ishikawa, K., Suzuki, K., 2002. Effect of phosphoric acid etching prior to self-etching primer application on adhesion of resin composite to enamel and dentin. *Am. J. Dent.* 15, 305–8.
- Tsujimoto, A., Takamizawa, T., Barkmeier, W.W., Tsujimoto, A., Endo, H., Tsuchiya, K., Erickson, R.L., Latta, M.A., Miyazaki, M., 2016. Influence of Pre-etching Times on Fatigue Strength of Self-etch Adhesives to Enamel. *J. Adhes. Dent.*
- Unemori, M., Matsuya, Y., Akashi, A., Goto, Y., Akamine, A., 2004. Self-etching adhesives and postoperative sensitivity. *Am. J. Dent.* 17, 191–5.
- Van Landuyt, K.L., Kanumilli, P., De Munck, J., Peumans, M., Lambrechts, P., Van Meerbeek, B., 2006. Bond strength of a mild self-etch adhesive with and without prior acid-etching. *J. Dent.* 34, 77–85.
- Van Meerbeek, B., Yoshihara, K., Yoshida, Y., Mine, A., De Munck, J., Van Landuyt, K.L., 2011. State of the art of self-etch adhesives. *Dent. Mater.* 27, 17–28.
- Vargas, M.A., 2009. Dentin bonding: effects of hemostatic agents and caries detectors. *J. Esthet. Restor. Dent.* 21, 75–6.
- Vogl, V., Hiller, K.-A., Buchalla, W., Federlin, M., Schmalz, G., 2016. Controlled, prospective, randomized, clinical split-mouth evaluation of partial ceramic crowns luted with a new, universal adhesive system/resin cement: results after 18 months. *Clin. Oral Investig.*
- Wagner, A., Wendler, M., Petschelt, A., Belli, R., Lohbauer, U., 2014. Bonding performance of universal adhesives in different etching modes. *J. Dent.* 42, 800–7.
- Yoshida, Y., Yoshihara, K., Nagaoka, N., Hayakawa, S., Torii, Y., Ogawa, T., Osaka, A., Meerbeek, B. Van, 2012. Self-assembled Nano-layering at the Adhesive interface. *J. Dent. Res.* 91, 376–81.
- Yoshihara, K., Nagaoka, N., Okihara, T., Kuroboshi, M., Hayakawa, S., Maruo, Y., Nishigawa, G., De Munck, J., Yoshida, Y., Van Meerbeek, B., 2015. Functional monomer impurity affects adhesive performance. *Dent. Mater.* 31, 1493–501.