

Literatur

- Abduo J: Safety of increasing vertical dimension of occlusion: a systematic review. *Quintessence Int* 43 (5): 369-380 (2012)
- Abduo J, Lyons K: Clinical considerations for increasing occlusal vertical dimension: a review. *Aust Dent J* 57 (1): 2-10 (2012)
- Ackermann K L, Kern M: Digitaler Workflow in der Implantatprothetik. Computereinsatz und neue Werkstoffe verkürzen die Prozesskette. *DZW Zahntechnik* 4/14: 6-10 (2014)
- Ahlers M O, Biffar R, Bumann A, Freesmeyer W B, Fuchs W B, Hugger A, Kordass B, Klett R, Koock B, Meyer G, Ottl P, Seeher W D, Schindler H J, Türp J C: Wissenschaftliche Stellungnahme der DGFDT und DGZPW: Terminologieliste der Deutschen Gesellschaft für Funktionsdiagnostik und Therapie (DGFDT) und der Deutschen Gesellschaft für zahnärztliche Prothetik und Werkstoffkunde (DGZPW). (2005)
- Ahlers M O, Möller K: Labortechnische Herstellung von Repositions-Onlays und -Veneers. *Quintessenz* 36 (4): 498-511 (2010)
- Ahlers M O, Möller K: Repositions-Onlays und -Veneers zur atraumatischen Restauration einer physiologischen Kiefer- und Kondylenposition. *Quintessenz* 62 (2): 211-222 (2011)
- Ahlers M O, Vahle-Hinz K, Rybzyński A, Jakstat H: Semipermanente und permanente Übertragung der Schienenposition mittels Repositions-Onlays und -Veneers. *Zeitschrift für Krianiomandibulare Funktion, Supplement* 2011, 44. Jahrestagung der Deutschen Gesellschaft für Funktionsdiagnostik und -therapie, Bad Homburg, 2011: S15 (2011)
- Ahlers M O, Edelhoff D: Einsatz glaskeramischer Repositions-Onlays zur Abschlussbehandlung nach erfolgreicher Funktionstherapie. *Quintessenz* 66 (12): 1509-1525 (2015)
- Ahlers M O, Fussnegger M, Götz G, Imhoff B, Jakstat H A, Mentler C, Neff A, Nippel E, Peroz I: Zur Therapie der funktionellen Erkrankungen des kranio-mandibularen Systems. Wissenschaftliche Mitteilung der Deutschen Gesellschaft für Funktionsdiagnostik und -therapie (DGFDT) in der DGZMK, der Deutschen Gesellschaft für Prothetische Zahnmedizin und Biomaterialien (DGPro), der Deutschen Gesellschaft für Mund-, Kiefer- und Gesichtschirurgie (DGMRG), der Arbeitsgemeinschaft für Kieferchirurgie (AGKi), der Deutschen Gesellschaft für Kieferorthopädie (DGKFO) und der Deutschen Gesellschaft für Zahn-, Mund- und Kieferheilkunde (DGZMK). *Deutsche Zahnärztliche Zeitschrift* 71 (2): 162-164 (2016)
- Alrahlah A, Siliikas N, Watts D C: Post-cure depth of cure of bulk fill dental resin-composites. *Dent Mater* 30 (2): 149-154 (2014)
- Attin T, Filli T, Imfeld C, Schmidlin P R: Composite vertical bite reconstructions in eroded dentitions after 5.5 years: a case series. *J Oral Rehabil* 39 (1): 73-79 (2012)
- Attin T, Bosch G, Wegehaupt F, Mehl A, Wiegand A, Blunck U: Rekonstruktion erosiver Zahnhartsubstanzdefekte mit Komposit. *Quintessenz* 66 (9): 1055-1069 (2015)
- Bartlett D: Using Composites to Restore Worn Teeth. *JCDA* 72 (4): 301-304 (2006)
- Bartlett D: A personal perspective and update on erosive tooth wear - 10 years on: Part 2 - Restorative management. *Br Dent J* 221 (4): 167-171 (2016)

Bartlett D W, Smith B G N: Definition, classification and clinical assessment of attrition, erosion and abrasion of enamel and dentine. In: Addy M, Embery G, Edgar W M, Orchardson R, editors. Tooth Wear and Sensitivity - Clinical Advances in Restorative Dentistry. London: Martin Dunitz; p. 87-92 (2000)

Bartlett D W: The role of erosion in tooth wear: aetiology, prevention and management. Int Dent J 55 (4 Suppl 1): 277-284 (2005)

Bernhardt O, Imhoff B, Lange M, Ottl P: Bruxismus: Aetiologie, Diagnostik und Therapie. Wissenschaftliche Mitteilung der Deutschen Gesellschaft für Funktionsdiagnostik und -therapie (DGFD). Deutsche Zahnärztliche Zeitschrift 69 (1): 46-48 (2014)

Berry D C, Poole D F: Attrition: possible mechanisms of compensation. J Oral Rehabil 3 (3): 201-206 (1976)

Blatz M B, Sadan A, Kern M: Resin-ceramic bonding: a review of the literature. J Prosthet Dent 89 (3): 268-274 (2003)

Brix O, Edelhoff D: Die Rekonstruktion eines Lachels. Ästhetische und funktionelle Rekonstruktion eines Dentinogenesis-imperfecta-Patienten mit Lithiumdisilikat-Glaskeramik. Quintessenz Zahntechnik 37 (1): 16-27 (2011)

Brunthaler A, König F, Lucas T, Sperr W, Schedle A: Longevity of direct resin composite restorations in posterior teeth. Clin Oral Investig 7 (2): 63-70 (2003)

Bumann A, Lotzmann U: Funktionsdiagnostik und Therapieprinzipien (8. Auflage). Rateitschak K H, Wolf H F, editors: Thieme (2015)

Carlsson G E, Ingervall B, Kocak G: Effect of increasing vertical dimension on the masticatory system in subjects with natural teeth. J Prosthet Dent 41 (3): 284-289 (1979)

Cekic-Nagas I, Ergun G: Implant-Supported Prosthetic Rehabilitation of a Patient with Localized Severe Attrition: A Clinical Report. J Prosthodont 24 (4): 322-328 (2015)

Celenza F V: The theory and clinical management of centric positions: II. Centric relation and centric relation occlusion. Int J Periodontics Restorative Dent 4 (6): 62-86 (1984)

Dahl B L, Krogstad O: The effect of a partial bite raising splint on the occlusal face height. An x-ray cephalometric study in human adults. Acta Odontol Scand 40 (1): 17-24 (1982)

Dube C, Rompre P H, Manzini C, Guitard F, De Grandmont P, Lavigne G J: Quantitative polygraphic controlled study on efficacy and safety of oral splint devices in tooth-grinding subjects. J Dent Res 83 (5): 398-403 (2004)

Edelhoff D, Brix O: Komposit trifft auf Vollkeramik. Rehabilitation einer stark abradierten Dentition. Quintessenz Zahntech 35 (6): 702-706 (2009)

Edelhoff D, Güth J-F, Schweiger J, Maier B, Beuer F: Vorbehandlung komplexer Fälle in der festsitzenden Prothetik. wissen kompakt 4 (4): 3-16 (2010)

Edelhoff D, Brix O, Schweiger J: Restoration of teeth using lithium disilicate glass-ceramics in a patient with dentinogenesis imperfecta. International Dentistry - African Edition 1 (3): 6-12 (2011a)

Edelhoff D, Schweiger J, Brix O, Güth J-F, Beuer F: CAD/CAM-generierte Restaurationen aus Hochleistungspolymer zur Vorbehandlung komplexer Fälle. Quintessenz 62 (5): 625-635 (2011b)

Edelhoff D, Beuer F, Schweiger J, Brix O, Stimmelmayer M, Güth J-F: CAD/CAM-generated high-density polymer restorations for the pretreatment of complex cases: a case report. Quintessence Int 43 (6): 457-467 (2012a)

Edelhoff D, Schweiger J, Brix O: Komplexe Rehabilitation ausgeprägter Zahnhartsubstanzdefekte mit non-invasiven temporären Restaurationen aus Hochleistungspolymer. *Quintessenz* 63 (4): 469-480 (2012b)

Edelhoff D: Okklusionsveränderung mit Kauflächen-Veneers: CAD/CAM-gefertigte Table
Tops korrigieren die Bisslage. *Zahnärztliche Mitteilungen* 104 (8): 48-50 (2014)

Edelhoff D, Beuer F, Stimmelmayer M, Güth J-F: Minimalinvasive Behandlungskonzepte in der festsitzenden Prothetik. *Quintessenz* 65 (5): 589-600 (2014)

Edelhoff D, Beuer F, Stimmelmayer M, Güth J-F: Minimalinvasive indirekte Restaurationen. *DFZ Der Freie Zahnarzt* 59 (4): 74-83 (2015)

Edelhoff D, Stimmelmayer M, Güth J-F: [Dental biocorrosions - etiology, diagnostic, prevention and treatment options]. *MMW Fortschr Med* 158 (8): 64-70 (2016)

El-Damanhoury H, Platt J: Polymerization Shrinkage Stress Kinetics and Related Properties of Bulk-fill Resin Composites. *Oper Dent* 39 (4): 374-382 (2014)

Ferracane J, Watts D, Barghi N, Ernst C, Rueggeberg F, Shortall A, Price R, Strassler H: Effective Use of Dental Curing Lights: A Guide for the Dental Practitioner. *ADA Professional Product Review* 8 (2): 2-12 (2013)

Frankenberger R, Kramer N, Sindel J: Repair strength of etched vs silica-coated metal-ceramic and all-ceramic restorations. *Oper Dent* 25 (3): 209-215 (2000)

Frankenberger R, Heidemann D, Staehle H J, Hellwig E, Blunck U, Hickel R: Neue Begriffe in der restaurativen Zahnerhaltung. *Dtsch Zahnärztl Zeitschr* 69 (12): 722-734 (2014)

Friese S: Integration neuer Methoden der restaurativen Zahnheilkunde in den Praxisalltag. *Deutsche Zahnärztliche Zeitschrift* 59 (4): 191-204 (2004)

Gross M D, Ormianer Z: A preliminary study on the effect of occlusal vertical dimension increase on mandibular postural rest position. *Int J Prosthodont* 7 (3): 216-226 (1994)

Gross M D: Occlusion in implant dentistry. A review of the literature of prosthetic determinants and current concepts. *Aust Dent J* 53 Suppl 1: S60-68 (2008)

Grütter L, Vailati F: Full-mouth adhesive rehabilitation in case of severe dental erosion, a minimally invasive approach following the 3-step technique. *Eur J Esthet Dent* 8 (3): 358-375 (2013)

Güth J-F, Almeida E S J S, Ramberger M, Beuer F, Edelhoff D: Treatment concept with CAD/CAM-fabricated high-density polymer temporary restorations. *J Esthet Restor Dent* 24 (5): 310-318 (2012)

Güth J-F, Edelhoff D, Ihloff H, Mast G: Complete mouth rehabilitation after transposition osteotomy based on intraoral scanning: An experimental approach. *J Prosthet Dent* 112 (2): 89-93 (2014)

Gutowski A, Stegmaier J: Schienen zeigen den Weg. Bruxismustherapie mit dreiteiliger, semipermanenter, okklusaler Komposit-Schiene. *dental dialogue* 16 (5): 76-82 (2015)

Hajto J, Cacaci C, Gehringer U: Das Artikulatorregistrat als fehlerunempfindliche Schnittstelle zwischen Praxis und Labor. *Quintessenz Zahntech* 34 (1): 46-57 (2008)

Hamburger J T, Opdam N J, Bronkhorst E M, Kreulen C M, Roeters J J, Huysmans M C: Clinical performance of direct composite restorations for treatment of severe tooth wear. *J Adhes Dent* 13 (6): 585-593 (2011)

Hamburger J T: Treatment of severe tooth wear. A minimally invasive approach. Doctoral Thesis, Radboud University Nijmegen (2014)

Hamburger J T, Opdam N J, Bronkhorst E M, Huysmans M C: Indirect restorations for severe tooth wear: fracture risk and layer thickness. *J Dent* 42 (4): 413-418 (2014)

Hamburger J T, Opdam N, Loomans B A: Direct posterior esthetics: a management protocol for the treatment of severe tooth wear with resin composite. In: Banerjee A, editor. *Essentials of esthetic dentistry: minimally invasive esthetics*. Edinburgh: Elsevier Ltd.; p. 147-159 (2015)

Hämmerle C H, Wagner D, Brägger U, Lussi A, Karayiannis A, Joss A, Lang N P: Threshold of tactile sensitivity perceived with dental endosseous implants and natural teeth. *Clin Oral Implants Res* 6 (2): 83-90 (1995)

Heimann J, Jahn B: Funktionsgerechte Rekonstruktion. Bensheimer Rekonstruktion - Eine vorhersagbare, ästhetisch-funktionelle Behandlungsstrategie. *Teamwork J Cont Dent Educ* 11 (1): 56-68 (2008)

Heintze S D, Rousson V, Hickel R: Clinical effectiveness of direct anterior restorations - a meta-analysis. *Dent Mater* 31 (5): 481-495 (2015)

Hornbogen E, Eggeler G, Werner E: Werkstoffe. Aufbau und Eigenschaften von Keramik-, Metall-, Polymer- und Verbundwerkstoffen. Heidelberg: Springer (2012)

Hurst D: What is the best way to restore the worn dentition? *Evidence-based dentistry* 12 (2): 55-56 (2011)

Ilie N, Kessler A, Durner J: Influence of various irradiation processes on the mechanical properties and polymerisation kinetics of bulk-fill resin based composites. *J Dent* 41 (8): 695-702 (2013)

Jaeggi T, Gruninger A, Lussi A: Restorative therapy of erosion. *Monographs in Oral Science* 20: 200-214 (2006)

Johansson A, Johansson A K, Omar R, Carlsson G E: Rehabilitation of the worn dentition. *J Oral Rehabil* 35 (7): 548-566 (2008)

Kinsel R P, Lin D: Retrospective analysis of porcelain failures of metal ceramic crowns and fixed partial dentures supported by 729 implants in 152 patients: patient-specific and implant-specific predictors of ceramic failure. *J Prosthet Dent* 101 (6): 388-394 (2009)

Klasser G D, Greene C S, Lavigne G J: Oral appliances and the management of sleep bruxism in adults: a century of clinical applications and search for mechanisms. *Int J Prosthodont* 23 (5): 453-462 (2010)

Kupiec K A, Wuertz K M, Barkmeier W W, Wilwerding T M: Evaluation of porcelain surface treatments and agents for composite-to-porcelain repair. *Journal of Prosthetic Dentistry* 76 (2): 119-124 (1996)

Lee A, He L H, Lyons K, Swain M V: Tooth wear and wear investigations in dentistry. *J Oral Rehabil* 39 (3): 217-225 (2012)

Lobbezoo F, Brouwers J E, Cune M S, Naeije M: Dental implants in patients with bruxing habits. *J Oral Rehabil* 33 (2): 152-159 (2006a)

Lobbezoo F, Van Der Zaag J, Naeije M: Bruxism: its multiple causes and its effects on dental implants - an updated review. *J Oral Rehabil* 33 (4): 293-300 (2006b)

Magne P, Stanley K, Schlichting L H: Modeling of ultrathin occlusal veneers. *Dent Mater* 28 (7): 777-782 (2012)

Manfredini D, Bucci M B, Sabattini V B, Lobbezoo F: Bruxism: overview of current knowledge and suggestions for dental implants planning. *Cranio: the journal of craniomandibular practice* 29 (4): 304-312 (2011)

Manfredini D, Poggio C E, Lobbezoo F: Is bruxism a risk factor for dental implants? A systematic review of the literature. *Clin Implant Dent Relat Res* 16 (3): 460-469 (2014)

Manfredini D, Poggio C E: Prosthodontic planning in patients with temporomandibular disorders and/or bruxism: A systematic review. *J Prosthet Dent*: [ePub ahead of print] (2016)

Matinlinna J P: Processing and bonding of dental ceramics. In: Vallittu P, editor. *Non-Metallic Biomaterials for Tooth Repair and Replacement*. Oxford: Woodhead Publishing Ltd.; p. 129-160 (2013)

Mehta S B, Banerji S, Millar B J, Suarez-Feito J M: Current concepts on the management of tooth wear: part 3. Active restorative care 2: the management of generalised tooth wear. *Br Dent J* 212 (3): 121-127 (2012)

Mericske-Stern R: Das Abrasionsgebiss bei alteren Menschen. Diagnostik und Strategien. *Quintessenz* 58 (7): 729-737 (2007)

Misch C E: The effect of bruxism on treatment planning for dental implants. *Dent Today* 21 (9): 76-81 (2002)

Mizrahi B: Combining traditional and adhesive dentistry to reconstruct the excessively worn dentition. *Eur J Esthet Dent* 3 (3): 270-289 (2008)

Morneburg T, Hugger A, Türp J C, Schmitter M, Utz K H, Freesmeyer W B, Rammelsberg P: Wissenschaftliche Mitteilung der Deutschen Gesellschaft für Prothetische Zahnmedizin und Biomaterialien e. V. (DGPro, vormals DGZPW): Anwendung des Gesichtsbogens beim funktionsgesunden Patienten im Rahmen restaurativer Massnahmen. *Deutsche Zahnärztliche Zeitschrift* 65 (11): 690-694 (2010)

Muts E J, Van Pelt H, Edelhoff D, Krejci I, Cune M: Tooth wear: a systematic review of treatment options. *J Prosthet Dent* 112 (4): 752-759 (2014)

Okeson J P: *Management of Temporomandibular Disorders and Occlusion*. St. Louis, Missouri, USA: Elsevier (2013)

Opdam N, Skupien J A, Kreulen C M, Roeters J, Loomans B, Huysmans M D: Case Report: A Predictable Technique to Establish Occlusal Contact in Extensive Direct Composite Resin Restorations: The DSO-Technique. *Oper Dent* 41 (S7): S96-S108 (2016)

Ormianer Z, Palty A: Altered vertical dimension of occlusion: a comparative retrospective pilot study of tooth- and implant-supported restorations. *Int J Oral Maxillofac Implants* 24 (3): 497-501 (2009)

Ozcan M: Evaluation of alternative intra-oral repair techniques for fractured ceramic-fused-to-metal restorations. *J Oral Rehabil* 30 (2): 194-203 (2003)

Perrin P, Zimmerli B, Jacky D, Lussi A, Helbling C, Ramseyer S: Die Stempeltechnik für direkte Kompositversorgungen. [The stamp technique for direct composite restoration]. *Schweiz Monatsschr Zahnmed* 123 (2): 111-129 (2013)

Peutzfeldt A, Jaeggi T, Lussi A: Restorative therapy of erosive lesions. *Monographs in Oral Science* 25: 253-261 (2014)

Pierce C J, Gale E N: A comparison of different treatments for nocturnal bruxism. *J Dent Res* 67 (3): 597-601 (1988)

Pospiech P: Das Pfeilwinkel- oder Stützstiftregistrat. *Zahntech Mag* 17 (5): 280-282 (2013)

Price R B, Ferracane J L, Shortall A C: Light-Curing Units: A Review of What We Need to Know. *J Dent Res* 94 (9): 1179-1186 (2015)

Rammelsberg P: Bisshebung - Möglichkeiten und Grenzen. *Zahnmedizin update* 8 (3): 227-242 (2014)

Ramseyer S T, Helbling C, Lussi A: Posterior vertical bite reconstructions of erosively worn dentitions and the «Stamp Technique» - a case series with a mean observation time of 40 months. *J Adhes Dent* 17 (3): 283-289 (2015)

Raskin A, Setcos J C, Vreven J, Wilson N H: Influence of the isolation method on the 10-year clinical behaviour of posterior resin composite restorations. *Clin Oral Investig* 4 (3): 148-152 (2000)

Reston E G, Corba V D, Broliato G, Saldini B P, Stefanello Busato A L: Minimally invasive intervention in a case of a noncarious lesion and severe loss of tooth structure. *Oper Dent* 37 (3): 324-328 (2012)

Roulet J F, Price R: Light curing - guidelines for practitioners - a consensus statement from the 2014 symposium on light curing in dentistry held at Dalhousie University, Halifax, Canada. *J Adhes Dent* 16(4): 303-304 (2014)

Şakar O: Re-establishing Occlusal Vertical Dimension and Maximal Intercuspal Position in Partially Edentulous Patients. In: Şakar O, editor. *Removable Partial Dentures: A Practitioners' Manual*. Heidelberg: Springer International Publishing; p. 259-275 (2016)

Salvi G E, Brägger U: Mechanical and technical risks in implant therapy. *Int J Oral Maxillofac Implants* 24 Suppl: 69-85 (2009)

Schlichting L H, Maia H P, Baratieri L N, Magne P: Novel-design ultra-thin CAD/CAM composite resin and ceramic occlusal veneers for the treatment of severe dental erosion. *J Prosthet Dent* 105 (4): 217-226 (2011)

Schmidlin P R, Schicht O O, Attin T: Die direkte schienenunterstützte Bisshohenrekonstruktion - eine minimalinvasive Restaurationstechnik mit Komposit. *Quintessenz* 60 (8): 909-919 (2009a)

Schmidlin P R, Filli T, Imfeld C, Tepper S, Attin T: Three-year evaluation of posterior vertical bite reconstruction using direct resin composite - a case series. *Oper Dent* 34 (1): 102-108 (2009b)

Schmidlin P R, Schicht O O, Attin T: Direkte Bisshohenrekonstruktion mit Komposit unter Anwendung einer Schientechnik: Fall 3. In: Lussi A, Jaeggi T, editors. *Dentale Erosionen: von der Diagnose zur Therapie*. Berlin: Quintessenz; p. 86-96 (2009c)

Schweiger J, Edelhoff D: Noninvasive temporäre Restaurationen mit Hochleistungspolymeren. *Quintessenz Zahntechnik* 38 (1): 28-40 (2012)

Schweiger J, Neumeier P, Stimmelmayer M, Beuer F, Edelhoff D: Macro-retentive replaceable veneers on crowns and fixed dental prostheses: a new approach in implant-prosthetics. *Quintessenz Int* 44 (4): 341-349 (2013a)

Schweiger J, Neumeier P, Stimmelmayer M, Beuer F, Edelhoff D: Makroretentive Verbundkronen und Verbundbrücken. Ein neuer Ansatz in der Implantatversorgung. *Quintessenz Zahntech* 39 (5): 608-622 (2013b)

Schweiger J, Neumeier P, Nold E, Güth J-F, Stimmelmayer M, Beuer F, Edelhoff D: Auswechselbare Verblendungen durch makroretentive Verbundkronen und -brücken. Ein neuer Ansatz in der Implantatversorgung. *Quintessenz* 65 (10): 1-10 (2014)

Smales R J: Rubber dam usage related to restoration quality and survival. *Br Dent J* 174 (9): 330-333 (1993)

Smith B G, Bartlett D W, Robb N D: The prevalence, etiology and management of tooth wear in the United Kingdom. *J Prosthet Dent* 78 (4): 367-372 (1997)

Solberg W K, Clark G T, Rugh J D: Nocturnal electromyographic evaluation of bruxism patients undergoing short term splint therapy. *J Oral Rehabil* 2 (3): 215-223 (1975)

Spreafico R C: Composite resin rehabilitation of eroded dentition in a bulimic patient: a case report. *Eur J Esthet Dent* 5 (1): 28-48 (2010)

Stewart B: Restoration of the severely worn dentition using a systematized approach for a predictable prognosis. *Int J Periodontics Restorative Dent* 18 (1): 46-57 (1998)

Strassler H E, Price R B: Understanding Light Curing, Part 1: Delivering Predictable and Successful Restorations. *Dentistry Today Continuing Education*, Course Number: 173 (2014a)

Strassler H E, Price R B: Understanding Light Curing, Part 2: Delivering Predictable and Successful Restorations. *Dentistry Today Continuing Education*, Course Number: 174 (2014b)

Stumbaum M, Konec D, Schweiger J, Gernet W: Reconstruction of the vertical jaw relation using CAD/CAM. *Int J Comput Dent* 13 (1): 9-25 (2010)

Tauböck T T, Schmidlin P R, Attin T: Bisshebung mit Komposit im Erosionsgebiss. *wissen kompakt* 5 (3): 23-32 (2011)

Tauböck T T, Attin T, Schmidlin P R: Implementation and experience of a new method for posterior vertical bite reconstruction using direct resin composite restorations in the private practice - a survey. *Acta Odontol Scand* 70 (4): 309-317 (2012)

Tauböck T T, Attin T: Restauration fortgeschrittener Zahnhartsubstanzverluste mit Komposit. *Zahnärztliche Mitteilungen* 106 (10): 48- (2016)

Tepper S A, Schmidlin P R: Technik der direkten Bissshohenrekonstruktion mit Komposit und einer Schiene als Formhilfe. [Technique of direct vertical bite reconstruction with composite and a splint as template]. *Schweiz Monatsschr Zahnmed* 115 (1): 35-47 (2005)

The Academy of Prosthodontics: The glossary of prosthodontic terms. *J Prosthet Dent* 94 (1): 10-92 (2005)

Turner K A, Missirlian D M: Restoration of the extremely worn dentition. *J Prosthet Dent* 52 (4): 467-474 (1984)

Türp J C, Schindler H J, Rodiger O, Smeekens S, Marinello C P: [Vertical and horizontal jaw relations in reconstructive dentistry. A critical review]. *Schweiz Monatsschr Zahnmed* 116 (4): 403-417 (2006)

Urdaneta R A, Leary J, Panetta K M, Chuang S K: The effect of opposing structures, natural teeth vs. implants on crestal bone levels surrounding single-tooth implants. *Clin Oral Implants Res* 25 (2): e179-e188 (2014)

Utz K H, Hugger A, Ahlers M O, Seeher W D, Bartsch K, Feyen J, Frahn G, Gabel S, Kordass B, Lange-Lentz B, Neff A, Ottl P, Reusch D, Winzen O, Wolowski A: S2k-Leitlinie der DGFDT und DGZMK: Instrumentelle zahnärztliche Funktionsanalyse. (2015)

Vailati F, Belser U C: Full-mouth adhesive rehabilitation of a severely eroded dentition: the threestep technique. Part 1. *Eur J Esthet Dent* 3 (1): 30-44 (2008a)

Vailati F, Belser U C: Full-mouth adhesive rehabilitation of a severely eroded dentition: the threestep technique. Part 2. *Eur J Esthet Dent* 3 (2): 128-146 (2008b)

Vailati F, Belser U C: Full-mouth adhesive rehabilitation of a severely eroded dentition: the three-step technique. Part 3. *Eur J Esthet Dent* 3 (3): 236-257 (2008c)

Vailati F, Carciofo S: CAD/CAM monolithic restorations and full-mouth adhesive rehabilitation to restore a patient with a past history of bulimia: the modified three-step technique. *Int J Esthet Dent* 11 (1): 36-56 (2016)

van Dijken J W, Horstedt P: Effect of the use of rubber dam versus cotton rolls on marginal adaptation of composite resin fillings to acid-etched enamel. *Acta Odontol Scand* 45 (5): 303-308 (1987)

Walthert M H: Risiken und Misserfolge in der Implantatprothetik. *Zahnarztblatt Sachsen* 27 (2): 23-28 (2016)

Willhite C: Direct Veneers. Section B: Transitional Bonding. In: Freedman G, editor. *Contemporary Esthetic Dentistry*. St. Louis, Missouri: C. V. Mosby Co.; p. 411-422 (2012)

Wilson P H, Banerjee A: Recording the retruded contact position: a review of clinical techniques. *Br Dent J* 196 (7): 395-402; quiz 426 (2004)

Wismeijer D, Brägger U, Evans C, Kapos T, Kelly J R, Millen C, Wittneben J G, Zembic A, Taylor T D: Consensus statements and recommended clinical procedures regarding restorative materials and techniques for implant dentistry. *Int J Oral Maxillofac Implants* 29 Suppl: 137-140 (2014)

Wittneben J G, Buser D, Salvi G E, Bürgin W, Hicklin S, Brägger U: Complication and failure rates with implant-supported fixed dental prostheses and single crowns: a 10-year retrospective study. *Clin Implant Dent Relat Res* 16 (3): 356-364 (2014)

Wright E F: *Manual of temporomandibular disorders*. 2nd edition. Ames, Iowa, USA: Wiley-Blackwell (2010)

Yip K H, Chow T W, Chu F C: Rehabilitating a patient with bruxism-associated tooth tissue loss: a literature review and case report. *Gen Dent* 51 (1): 70-74 (2003)

Zahn T, Zahn B, Gerhardt-Szep S, Lauer H C: Rekonstruktion generalisierter Erosionsschaden durch vollkeramische Restaurationen - ein Fallbericht mit Langzeitergebnissen nach 6 Jahren. *Dtsch Zahnärztl Zeitschr* 69 (12): 698-706 (2014)